

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	45	( "4223540"   "4279127"   "4689439"   "4788502"   "4827737"   "4884410"   "4974113"   "5138383"   "5235282"   "5278503"   "5426366"   "5596303"   "5644855"   "5704967"   "5731939"   "6020803"   "6097187"   "6147844"   "6212904"   "6456073"   "6680662"   "6717781"   "6727699"   "6753748"   "6806712"   "6946936"   "6990818").PN. OR ("2005/0077898"   "2005/0204751"   "2007/0182513"   "2007/0271933"   "2008/0236194"   "2008/0242974"   "5220800"   "7064550"   "7157999"   "7395671").URPN.	US- PGPUB; USPAT; USOCR
2	IS&R	L3	6539	(335/216,296-299,302- 306).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
3	BRS	L4	885875	removable removeable	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
4	BRS	L5	44239	current near2 lead	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
5	BRS	L6	87	L4 with L5	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
6	BRS	L7	10627	superconducting near2 magnet	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
7	BRS	L9	10845	liquid near2 helium	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
8	BRS	L10	193244 0	valve	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
9	BRS	L11	949	L9 same L10	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
10	BRS	L15	14911	(superconduct\$3 or (super adj conduct\$3) or super- conduct\$3) near3 magnet	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
11	BRS	L16	457	(liquid adj helium) with (valve or regulator)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
12	BRS	L17	44	L15 same L16	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
13	BRS	L18	9	("3839689" "4689439" "5220800").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
14	BRS	L19	4	L18 and (liquid adj helium)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
15	BRS	L20	3	L18 and (valve or regulator)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
16	BRS	L21	885875	removable removeable	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
17	BRS	L22	44239	current near2 lead	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
18	BRS	L23	87	L21 with L22	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
19	IS&R	L26	6539	(335/216,296-299,302-306).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
20	BRS	L27	885875	removable removeable	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
21	BRS	L28	44239	current near2 lead	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
22	BRS	L29	87	L27 with L28	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
23	BRS	L31	45	( "4223540"   "4279127"   "4689439"   "4788502"   "4827737"   "4884410"   "4974113"   "5138383"   "5235282"   "5278503"   "5426366"   "5596303"   "5644855"   "5704967"   "5731939"   "6020803"   "6097187"   "6147844"   "6212904"   "6456073"   "6680662"   "6717781"   "6727699"   "6753748"   "6806712"   "6946936"   "6990818").PN. OR ( "2005/0077898"   "2005/0204751"   "2007/0182513"   "2007/0271933"   "2008/0236194"   "2008/0242974"   "5220800"   "7064550"   "7157999"   "7395671").URPN.	US- PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
24	BRS	L32	885875	removable removeable	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
25	BRS	L33	44239	current near2 lead	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
26	BRS	L34	87	L32 with L33	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB



	Type	L #	Hits	Search Text	DBs
27	BRS	L35	10627	superconducting near2 magnet	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
28	BRS	L36	10845	liquid near2 helium	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
29	BRS	L37	193244 0	valve	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
30	BRS	L38	949	L36 same L37	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
31	BRS	L39	186	L35 and L38	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
32	BRS	L8	19	L6 and L7	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
33	BRS	L12	2	L8 and L11	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
34	BRS	L14	2	L6 and L13	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
35	BRS	L24	13	L23 same connector	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
36	IS&R	L25	2	("5220800").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
37	BRS	L30	13	L29 same connector	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB
38	BRS	L40	2	L34 and L39	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
39	BRS	L13	186	L7 and L11	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
40	IS&R	L41	486	(335/216,296-299,302-306).CCLS.	US- PGPUB
41	BRS	L42	325	(superconducting near2 magnet).clm.	US- PGPUB
42	BRS	L43	172	(liquid near2 helium).clm.	US- PGPUB
43	BRS	L44	40	42 and 43	US- PGPUB
44	BRS	L45	95906	(valve or regulator).clm.	US- PGPUB
45	BRS	L46	10	44 and 45	US- PGPUB
46	BRS	L47	42263	(removable removeable).clm.	US- PGPUB
47	BRS	L48	66151	(connector (current near2 lead)).clm.	US- PGPUB
48	BRS	L49	1453	47 with 48	US- PGPUB
49	BRS	L50	3	43 same 45	US- PGPUB
50	BRS	L51	1	44 and 49	US- PGPUB